EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	("6428444").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/11/24 08:04
S1	354	(320/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 13:57
S2	727	(320/132).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:47
S4	7293	("903").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 16:42
S5	6271	(903/903-907,941-943).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:51
S11	544	(903/907).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:50
S13	295	(903/904).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 14:50
S18	602	(324/427).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/19 15:06
S19	415	torque and engine and battery and (vehicle or car or automobile or hybrid) and ((target or desired) with torque) and (battery with charg$3) and (threshold or limit) and (alternator or motor$1generator or MOGEN or Mo$1Gen or generator$1motor or (motor with generator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:44

S20	288	S19 and ((max or maximum) with (output or level or value or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:45
S21	173	S20 and (S$1O$1C$1 or SOC or state$1of$1charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:47
S22	198	S20 and ((S$1O$1C$1 or SOC or state$1of$1charge) or (charge with capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:51
S23	157	S22 and ((modify or modifying or modification or adjust$3 or chang$3) with torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:49
S24	92	S23 and ("903"/$.ccls. or "320"/$.ccls. or "324"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S25	48	S23 and ((S$1O$1C$1 or SOC or state$1of$1charge or capacity) with (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S26	33	S25 and ("903"/$.ccls. or "320"/$.ccls. or "324"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/19 16:53
S27	12	(US-20020107618-$).did. or (US-7028795-$ or US-7019472-$ or US-6960152-$ or US-6892128-$ or US-6672415-$ or US-6480767-$ or US-6166499-$ or US-6090007-$ or US-5903061-$ or US-5873801-$ or US-5791426-$).did.	US-PGPUB; USPAT	OR	ON	2006/10/23 14:01
S28	5	S27 and (maximum (output or torque)) and (battery with (state$1of$1charge or S$1O$1C$1)) and ((modif$4 or adjust$3) with torque) and ((target or desired or required or needed) with torque) and (((state$1of$1charge or S$1O$1C$1) with (threshold or limit)) same battery)	US-PGPUB; USPAT	OR	ON	2006/10/23 14:06
S29	4	("5903061" | "6005297" | "6679346").PN. OR ("6960152").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/25 12:13

S30	2	("3055711").PN.	EPO; JPO; DERWENT	OR	OFF	2006/10/25 12:13
S34	414	(320/104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/08 21:44
S35	839	(320/132).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/08 21:44
S36	530	torque and engine and battery and (vehicle or car or automobile or hybrid) and ((target or desired) with torque) and (battery with charg$3) and (threshold or limit) and (alternator or motor$1generator or MOGEN or Mo$1Gen or generator$1motor or (motor with generator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/08 21:45
S37	361	S36 and ((max or maximum) with (output or level or value or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/08 21:44
S38	258	S37 and ((S$1O$1C$1 or SOC or state$1of$1charge) or (charge with capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/08 21:44
S39	229	(S38 or S34 or S35) and @pd>="20061019"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/08 21:44
S40	13	(US-20020107618-$).did. or (US-7028795-$ or US-7019472-$ or US-6960152-$ or US-6166499-$ or US-6090007-$ or US-5903061-$ or US-5873801-$ or US-5791426-$ or US-6672415-$ or US-6892128-$ or US-6480767-$).did. or (WO-3055711-$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/11/17 18:46
S41	7	S40 and maximum with output with torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/17 18:46

11/24/2008 9:11:41 AM

C:\ Documents and Settings\ apiggush\ My Documents\ EAST\ Workspaces\ 10711499.wsp